

INCIDENT RADIO COMMUNICATIONS PLAN (ICS 205)

1. Incident Name: <p style="text-align: center; color: blue;">Hurricane Ian</p>	2. Date/Time Prepared: Date: 9/26/2022 Time: 2228	3. Operational Period: Date From: 9/27/2022 Date To 9/30/2022 Time From: 0630 Time To: 1300
--	--	--

4. Basic Radio Channel Use:

Zone Grp.	Ch #	Function	Channel Name/Trunked Radio System Talk group	Assignment	RX Freq N or W	RX Tone/NAC	TX Freq N or W	TX Tone/NAC	Mode A, D, M	Remarks
		Command	SARnet – AG4UU	FL Cmd	442.2500W	CSQ	447.2500W	146.2	A	<i>SAR Net Skyway Bridge</i>
	1	Tactical	W4ACS	Tact-Rsrc	145.1700W	CSQ	144.5700W	156.7	A	<i>PACS Tactical-Resource Net</i>
	2	Tactical-Bk up	PACS PLAN A	Tact-Rsrc	146.4300W	CSQ	146.4300W	CSQ	A	See Special Instructions Below
	3	Tactical-Bk up	PACS PLAN B	Tact-Rsrc	146.4700W	CSQ	146.4700W	CSQ	A	See Special Instructions Below
	6	Tactical	WD4SCD	Shelter Net	147.0300W	CSQ	147.6300W	100.0	A	Shelter Net- St Pete
	7	Tactical	WD4SCD	Shelter Net	147.0300W	CSQ	147.6300W	103.5	A	Shelter Net- North Co
	8	Tactical	WD4SCD	Shelter Net	147.0300W	CSQ	147.6300W	156.7	A	Shelter Net Mid County
	9	Tactical	WD4SCD	Shelter Net	147.0300W	CSQ	147.6300W	82.5	A	Shelter Net East County
	10	Tactical	WD4SCD	Shelter Net	147.0300W	CSQ	147.6300W	146.2	A	Shelter Net West County
	11	Tactical	WD4SCD	Shelter Net	147.0300W	CSQ	147.6300W	192.8	A	Shelter Net S Pasadena
	21	Tactical Data	W4ACS	VARA FM Wide	145.0900W	CSQ	145.0900W	CSQ	D	See Special Instructions Below
	21	Tactical Data	W4ACS-5	VARA FM Wide	145.0900W	CSQ	145.0900W	CSQ	D	See Special Instructions Below
	5*	Tactical	FRS Ch 01	Sltr-Facilities	462.5625W	CSQ	462.5625W	CSQ	A	Shelter: Command & Facilities
		Tactical	EOC A	Coord A	800MHz N				D	See Special Instructions Below
		Tactical	AUXCOMM HF Net	Pri-evening	3.9400	CSQ	3.9400	CSQ	A	LSB; Statewide Emergency Net; 2000EDT – 0800EDT
		Tactical-Bk up	AUXCOMM HF Net	Sec-evening	3.9500	CSQ	3.9500	CSQ	A	LSB; Statewide Emergency Net; 2000EDT – 0800EDT
		Tactical	AUXCOMM HF Net	Pri-Day	7.2420	CSQ	7.2420	CSQ	A	LSB; Statewide Emergency Net; 0800EDT – 2000EDT
		Tactical-Bk up	AUXCOMM HF Net	Sec-Day	7.2470	CSQ	7.2470	CSQ	A	LSB; Statewide Emergency Net; 0800EDT – 2000EDT

5. Special Instructions:

- PACS PLAN A – Used for county wide simplex net during W4ACS outage. Used for North County net during Split county net operation. Refer to Comm plan for details.
- PACS PLAM B- Used for South County net during split county net operation. Refer to Comm plan for details.
- Shelter Radio Kit channel numbers are listed in the **Ch#** column.
- The WD4SCD repeater system has six receiver sites. Select the shelter net channel number that corresponds to the receiver site closest to your location.
- EOC A – Used for coordination between PinCo EOC and county municipalities.
- FRS Chan 01 is located at position 5 on the ICOM handheld radios.
- Winlink Address for sending formal message to the state of Florida EOC: NNA4FL

6. Prepared by (Communications Unit Leader): Name: **Clayton Parrott** Signature: _____

ICS 205

IAP Page _- _

Date/Time: 9/26/2022 2230

ICS 205 Incident Radio Communications Plan

Purpose. The Incident Radio Communications Plan (ICS 205) provides information on all radio frequency or trunked radio system talkgroup assignments for each operational period. The plan is a summary of information obtained about available radio frequencies or talkgroups and the assignments of those resources by the Communications Unit Leader for use by incident responders. Information from the Incident Radio Communications Plan on frequency or talkgroup assignments is normally placed on the Assignment List (ICS 204).

Preparation. The ICS 205 is prepared by the Communications Unit Leader and given to the Planning Section Chief for inclusion in the Incident Action Plan.

Distribution. The ICS 205 is duplicated and attached to the Incident Objectives (ICS 202) and given to all recipients as part of the Incident Action Plan (IAP). All completed original forms must be given to the Documentation Unit. Information from the ICS 205 is placed on Assignment Lists.

Notes:

- The ICS 205 is used to provide, in one location, information on all radio frequency assignments down to the Division/Group level for each operational period.
- The ICS 205 serves as part of the IAP.

Block Number	Block Title	Instructions
1	Incident Name	Enter the name assigned to the incident.
2	Date/Time Prepared	Enter date prepared (month/day/year) and time prepared (using the 24-hour clock).
3	Operational Period <ul style="list-style-type: none"> • Date and Time From • Date and Time To 	Enter the start date (month/day/year) and time (using the 24-hour clock) and end date and time for the operational period to which the form applies.
4	Basic Radio Channel Use	Enter the following information about radio channel use:
	Zone Group	
	Channel Number	Use at the Communications Unit Leader's discretion. Channel Number (Ch #) may equate to the channel number for incident radios that are programmed or cloned for a specific Communications Plan, or it may be used just as a reference line number on the ICS 205 document.
	Function	Enter the Net function each channel or talkgroup will be used for (Command, Tactical, Ground-to-Air, Air-to-Air, Support, Dispatch).
	Channel Name/Trunked Radio System Talkgroup	Enter the nomenclature or commonly used name for the channel or talkgroup such as the National Interoperability Channels which follow DHS frequency Field Operations Guide (FOG).
	Assignment	Enter the name of the ICS Branch/Division/Group/Section to which this channel/talkgroup will be assigned.
	RX (Receive) Frequency (N or W)	Enter the Receive Frequency (RX Freq) as the mobile or portable subscriber would be programmed using xxx.xxxx out to four decimal places, followed by an "N" designating narrowband or a "W" designating wideband emissions. The name of the specific trunked radio system with which the talkgroup is associated may be entered across all fields on the ICS 205 normally used for conventional channel programming information.
	RX Tone/NAC	Enter the Receive Continuous Tone Coded Squelch System (CTCSS) subaudible tone (RX Tone) or Network Access Code (RX NAC) for the receive frequency as the mobile or portable subscriber would be programmed.

Block Number	Block Title	Instructions
4 (continued)	TX (Transmit) Frequency (N or W)	Enter the Transmit Frequency (TX Freq) as the mobile or portable subscriber would be programmed using xxx.xxxx out to four decimal places, followed by an "N" designating narrowband or a "W" designating wideband emissions.
	TX Tone/NAC	Enter the Transmit Continuous Tone Coded Squelch System (CTCSS) subaudible tone (TX Tone) or Network Access Code (TX NAC) for the transmit frequency as the mobile or portable subscriber would be programmed.
	Mode (A, D, or M)	Enter "A" for analog operation, "D" for digital operation, or "M" for mixed mode operation.
	Remarks	Enter miscellaneous information concerning repeater locations, information concerning patched channels or talkgroups using links or gateways, etc.
5	Special Instructions	Enter any special instructions (e.g., using cross-band repeaters, secure-voice, encoders, private line (PL) tones, etc.) or other emergency communications needs). If needed, also include any special instructions for handling an incident within an incident.
6	Prepared by (Communications Unit Leader) <ul style="list-style-type: none"> • Name • Signature • Date/Time 	Enter the name and signature of the person preparing the form, typically the Communications Unit Leader. Enter date (month/day/year) and time prepared (24-hour clock).